

Lyngdorf Audio presents...

Lyngdorf MP-40



Network Player

Radio

-55.1



RoomPerfect



SOURCE / MENU

Offers full Lyngdorf qualities plus ease of installation and use – the perfect choice for small home cinemas.



State-of-the-art audio processing

- Outputs for 12 audio channels
- Three HDMI inputs and one output
- Supports HDMI 2.0b
- HDMI 2.1 feature eARC and Dynamic Lip-Sync
- Full support of DOLBY ATMOS®, DTS.X® and AURO-3D®
- RoomPerfect™ calibration
- Video throughput of up to 18 Gbps
- Supports full 4K 60Hz video stream
- Supports pass-through of the new HDR format, HLG

Built-in media player

Features a built-in media player, which connects to:

- Spotify
- Airplay
- Upnp
- Roon
- Internet radio

RoomPerfect™ room correction

The MP-40 is equipped with RoomPerfect™, the world's most sophisticated technology for adapting the sound system to the environment.



- Ensures a perfect surround sound experience
- Eliminates the need for bulky bass traps and other expensive acoustic treatment
- Lifelike sound scenery instead of individual loudspeakers
- More freedom when choosing speakers and their placement
- Guarantees consistent performance



Holds all the sonic qualities and processing powers of its bigger brother, the MP-60

Specifications

Description	Surround sound processor
Decoding	Dolby Atmos®, Dolby Digital (EX & Plus), Dolby TrueHD, DTS:X, DTS ES Discrete 6.1, DTS ES Matrix 6.1, DTS 96/24, DTS-HD High Res. Audio, DTS-HD Master Audio, Auro 3D
Post processing	Dolby Surround, AURO-MATIC®, DTS Neural:X
Audio inputs	3 x HDMI (≤192kHz/24bit), 1 x HDMI eARC, 1 x AES/EBU S/P-DIF input (≤192kHz/24bit), 3 x S/P-DIF coaxial inputs (≤192kHz/24bit), 4 x S/P-DIF optical inputs (≤96kHz/24bit), 1 x USB audio input (≤384kHz/32bit), 1 x microphone input (XLR) for RoomPerfect™
Audio outputs	16 x XLR analog outputs (5.0 Vrms), 1 x SPDIF coax digital ZONE output (Fix 96kHz/24bit)
Mediaplayer	Internet radio (vTuner), Airplay, Spotify Connect, Roon Endpoint, DLNA Support of FAT32 based media storage
Video inputs	3 x HDMI™ (2.0b - HDCP 2.2), accepts 3D 30Hz, 4K 60Hz (18 Gbps), accepts HDR formats: Dolby Vision, HDR and HLG
Video outputs	1 x HDMI™ (2.0b - HDCP 2.2 - eARC)
Dimensions (H x W x D)	140 x 450 x 359 mm / 5.51 x 17.7 x 14.1 inches
Weight	6.7 kg / 14.8 lb





Lyngdorf Audio


Corporate presentation

Lyngdorf Audio develops, designs, and creates products for high-performance audio enthusiasts seeking the highest quality and most exciting components on the market. Lyngdorf Audio products do not re-produce music; they re-play music with all original passion and musicality intact. The brand is known throughout the world as the leader in high-performance digital audio.


For more information, visit www.lyngdorf.com

Our technologies


RoomPerfect™




Boundary woofers



Bass management



Fully digital systems



THANK YOU
FOR WATCHING